WHAT IS CLAIMED IS:

1		1.	An apparatus for enforcing copy protection in a medium, the		
2	apparatus comprising				
3			a read/write RFID tag permanently secured to the medium; and		
4			a machine readable value stored in the RFID tag, wherein the		
5	value indicates a limit on the number of copies that can be made from the medium.				
6					
7		2.	The apparatus of claim 1, wherein the medium includes a		
8 -	CDROM disc.				
9					
10		3.	The apparatus of claim 1, wherein the medium includes a DVD		
11	disc.				
12					
13		4.	A method for enforcing copy protection in a medium, the method		
14	comprising		I		
15		perma	anently securing a read/write RFID to the medium;		
16		storin	g in the RFID an indication of the number of copies that can be		
17	made of the medium;				
18		detec	ting when a copy of the medium is selected to be made;		
19		readir	ng the indication of the number of copies that can be made of the		
20	medium;				
21		if the	indication meets a predetermined condition then preventing		
22	creation of a copy of the medium.				
23					
24		5.	The method of claim 4, further comprising		
25		creati	ng a copy of the medium; and		
26		updat	ing the indication in the RFID.		
27			·		
28		6.	The method of claim 5, further comprising		

29		settin	g a copy restriction in the copy of the medium.		
30					
31		7.	The method of claim 6, wherein the copy restriction includes		
32 .	preventing copies of the copy of the medium from being created.				
33	•				
34		8.	A method for enforcing access rights to a medium, the method		
35	comprising				
36		perm	anently securing a read/write RFID to the medium;		
37		storin	g in the RFID an indication relating to access rights;		
38		detec	ting when a copy of the medium is selected to be made;		
39		readi	ng the access rights indication; and		
40		if the	indication meets a predetermined condition then enforcing access		
41	rights to the medium.				
42			·		
43		9.	The method of claim 8, wherein access rights are in accordance		
44	with a Copy	Contro	ol Information (CCI) standard.		
45			•		
46		10.	The method of claim 8, wherein access rights are in accordance		
47	with an Extended Copy Control Information (ExCCI) standard.				
48			•		
49		11.	The method of claim 8, wherein the access rights are in		
50	accordance with Copy Generation Management System (CGMS).				
51					
52		12.	The method of claim 8, wherein access rights include a		
53	restriction or	the nu	umber of copies that can be made of content on the medium.		
54					
55		13.	A method for authorizing a copy of a medium, the method		
56	comprising				
57		deten	ting a first REID tag value:		

58		detec	cting correlating information on the medium;		
59 60	comparing the first RFID tag value to the detected correlating information to determine if there is a correlation;				
61 62	and	if a c	orrelation is determined then detecting a second RFID tag value;		
63		if the	detected second RFID tag value meets a predetermined		
64	condition, then				
65		autho	orizing a copy of the medium if a correlation is determined.		
66					
67		14.	The method of claim 13, wherein the correlating information		
68	includes an	indenti	fication code.		
69					
70		15.	The method of claim 13, wherein the correlating information		
71	includes a d	igital w	vatermark.		
72					
73		16.	The method of claim 13, wherein the detected second RFID tag		
74	value is encrypted.				
75					
76		17.	An apparatus for authorizing a copy of a medium, wherein the		
77	medium includes an RFID tag, the apparatus comprising				
78		an R	FID read/write unit for reading the RFID tag and for updating a		
79	value stored in the RFID tag;				
80		a me	dia read/write unit; and		
81		a cor	ntrol system for accepting a signal from the RFID read/write unit to		
82	indicate that	a cop	y can be made.		
83					
84		18.	The apparatus of claim 17, further comprising		
85		a hou	using including the media read/write unit, wherein the RFID		
86	read/write unit is external to the housing.				

87			
88	19.	The apparatus of claim 17, wherein the RFID read/write unit is	
89	in communication with an authorization process.		
90	,		
91	20.	The apparatus of claim 19, wherein the authorization process is	
92	remotely located from the RFID read/write unit.		
93			
94	21.	The apparatus of claim 20, wherein the RFID read/write unit is in	
95	communication wit	h the authorization process via digital network.	